Amendments to the Claims

- 1. (currently amended) A fast dissolving tablet for oral administration which comprises:
- a therapeutically effective amount of one or more drugs drug(s) that act acts as a cyclooxygenase-2 (COX-2) inhibitor for oral administration;

croscarmellose sodium; and

one or more pharmaceutically acceptable excipients, wherein at least one of the pharmaceutically acceptable excipients comprises a filler.

- 2. (currently amended) The tablet according to claim 1 wherein the <u>one or more</u> drugs comprise a tablet comprises a therapeutically effective amount of COX-2 inhibitor, a filler and optionally, other pharmaceutical excipients.
- 3. (original) The tablet according to claim 1 wherein the fast dissolving tablet dissolves in the mouth.
- 4. (currently amended) The tablet according to claim 1 or 2 wherein the <u>one or more drugs comprise a drug(s) that acts as a cyclooxygenase 2 (COX-2) inhibitor is specific or preferential COX-2 inhibitor.</u>
- 5. (original) The tablet according to claim 4 wherein the COX-2 inhibitor is selected from the group consisting of meloxicam, rofecoxib, celecoxib, valdecoxib, parecoxib, nabumetone, nimesulide and etodolac.
- 6. (currently amended) The tablet according to claim 12 wherein the filler is may be selected from the group consisting of alkali earth metal salts, carbohydrates, celluloses, starches, clays and polyethylene glycols, and mixtures thereof.
- 7. (currently amended) The tablet according to claim 19 wherein the filler is may be selected from the group consisting of directly compressible dicalcium phosphate dihydrate, tricalcium phosphate, calcium sulfate, calcium carbonate, calcium hydroxide, aluminium hydroxide, magnesium silicate, aluminium magnesium hydroxide, maltiose, maltitol, sorbitol, mannitol, glucose, sucrose, xylitol, lactose, lactose monohydrate, erythritol, fructose,

maltodextrins, microcrystalline cellulose, calcium carboxy methyl cellulose, pregelatinized starch, potato starch, maize starch, kaolin, polyethylene glycol 4000, and mixtures thereof.

- 8. (currently amended) The tablet according to claim 1 2 wherein the one or more pharmaceutically acceptable pharmaceutical excipients comprises one or more of binders, disintegrants, lubricants, glidants, colouring agents, flavouring agents and sweeteners.
- 9. (currently amended) The tablet according to claim 8 wherein the binders is may be selected from the group consisting of microcrystalline cellulose, mannitol, microcrystalline dextrose, directly compressible dicalcium phosphate, amylose and polyvinylpyrrolidone.
- 10. (original) The tablet according to claim 8 wherein the disintegrant is selected from the group consisting of starches or modified starches, clays, celluloses, algins, cross-linked celluloses, gums, cross-linked polymers, effervescent agents, and mixtures thereof.
- 11. (original) The tablet according to claim 10 wherein the disintegrant is selected from the group consisting of sodium starch glycolate, corn starch, potato starch, pregelatinized starch, bentonite, montmorillonite, veegum, microcrystalline cellulose, hydroxypropyl cellulose, carboxymethyl cellulose, sodium alginate, alginic acid, croscarmellose sodium, guar gum, xanthan gum, crospovidone; sodium bicarbonate and citric acid, and mixtures thereof.
- 12. (currently amended) The tablet according to claim 8 wherein the <u>lubricant is</u> lubricants may be selected from the group consisting of tale, magnesium stearate, calcium stearate, stearic acid, magnesium lauryl sulphate and hydrogenated vegetable oil, sodium benzoate, sodium acetate, sodium chloride, leucine, sodium stearyl fumarate, PEG 4000, and mixtures thereof.
- 13. (currently amended) The tablet according to claim 8 wherein the glidant is glidants may be selected from the group consisting of colloidal silicon dioxide and talc.
- 14. (currently amended) The tablet according to claim 8 wherein the colouring agent is agents may be selected from any pharmaceutically acceptable colorant used in pharmaceuticals which is approved and certified by the FDA.

- 22. (withdrawn) The process according to claim 21 wherein the blend is granulated before compression.
- 23. (withdrawn) The process according to claim 22 wherein the granulation is done by wet or dry granulation methods.
- 24. (withdrawn) The process according to claim 23 wherein the dry granulation is done by slugging or roller compaction.
- 25. (new) The tablet according to claim 1 wherein the one or more drugs that act as a cyclooxygenase-2 (COX-2) inhibitor comprises about 1% to about 90% w/w of the tablet.
- 26. (new) The tablet according to claim 8 wherein the binder comprises about 1% to about 10% w/w of the tablet.
- 27. (new) The tablet according to claim 8 wherein the lubricant comprises about 0.25% to about 4% w/w of the tablet.
- 28. (new) The tablet according to claim 8 wherein the glidant comprises about 0.1% to about 10% w/w of the tablet.
- 29. (new) The tablet according to claim 1 wherein the tablet is prepared by direct compression.
- 30. (new) The tablet according to claim 5 wherein the tablet comprises between about 2.5 mg and about 100 mg of rofecoxib per tablet.
 - 31. (new) The tablet according to claim 1 wherein the tablet dissolves in the mouth.